
OPERATING AND INSTALLATION MANUAL

BOWEN GAS WATER HEATERS



LIGHTING INSTRUCTIONS


- 1. Turn GAS COCK DIAL (1) to "OFF" Position.
- Wait sufficient length of time to allow gas which may have accumulated in burner compartment to escape (At least 5 minutes.)
- 3. Turn GAS COCK DIAL (1) to "PILOT" Position.
- Depress and hold RESET BUTTON (2) while lighting pilot burner. Allow pilot to burn approximately one-half minute before releasing RESET BUTTON. If pilot does not remain lighted, repeat operation allowing longer period before releasing RESET BUTTON.
- Turn GAS COCK DIAL (1) to "ON" Position and turn TEM-PERATURE DIAL (3) to desired position.

PILOT BURNER ADJUSTMENT

- 1. Remove Pilot Adjustment Cap (4).
- 2. Adjust pilot key to provide properly sized flame.
- 3. Replace pilot adjustment cap (4).

WHEN ORDERING THERMOSTAT REPLACEMENT
GIVE WATER HEATER MODEL NUMBER

MAIN BURNER & PILOT FLAME ADJUSTMENT



PILOT ADJUSTMENT: Adjust pilot flame to 1/2" high or until a slight yellow tip appears in pilot flame. Pilot adjusting key is identified on picture of thermostat. (See front page.)

BURNER ADJUSTMENT: Slide main burner air shutter to the right enough for yellow tip to appear in flame, then slowly slide shutter to the left until yellow tip disappears and lock with set screw.

WATER HEATER INSTALLATION

INSTRUCTIONS


MODELS G6A1 and G10C


STEP 1: Cut body opening.

MODEL	А	В	С			
G6A1	16-1/8	12-5/8	16-7/8			
G10C	16-1/8	15-5/8	18-11/16			


FRAMING SHOULD BE AT LEAST ONE INCH MATERIAL


STEP 2: Heater must be installed through exterior opening. Secure heater to coach with 3/4" #8 Rd. Hd. wood screws.






- (1) OUTLET (1/2" NPT Female)
- (2) INLET (1/2" NPT Female)
- (3) RELIEF VALVE
- GAS CONNECTION (3/8" Flare)-G6A1 ONLY GAS CONNECTION KNOCKOUT →-G10C ONLY
- (5) AIR INTAKE / EXHAUST VENT
- (6) ACCESS PANEL LOCKING DEVICE
- (7) DRAIN VALVE UP FRONT







• Gas line entrance opening must be sealed with material capable of withstanding 120°F. To use
grommet supplied, slip over gas line, remove backing paper and press adhesive firmly to clean,
dry, metal surface around opening.

WODEL	A	В	С	D	E	F	G	н	J	К
G6A1	14-1/2	17-3/4	1-1/8	7/8	16-7/8	2-5/16	2-7/8	6-3/4	12-1/2	30°
G10C	17-13/16	18-1/2	1-3/16	1-1/8	18-11/16	_	3-3/4	8	15-1/2	30°

MCDEL	L	М	N	Р	Q	R	S	T	U	V
G6A1	1/8	13/32	1/2	3/4	4-5/8	16		_	_	
GIOC	1/8	3/8	~	_	4-1/2	16	5-1/4	4	2	3

STEP 4: Check for proper operation.

- The Section of the section of the view of the section of the secti

Fill	in.	You	will	need	this	information	should	your	water	heater	be	damaged.
Date		Model		Specification			Serial					

